


LOST PROFILE - SPECIFICATION SHEET - **COVENANT ONYX 1000**

Informed by the interlocking components of a snake's spine, *Covenant* is a contemporary take on a traditional chandelier.



## LOST PROFILE - SPECIFICATION SHEET - COVENANT ONYX 1000

PRODUCT	DIMENSIONS (mm)	WEIGHT (kg)	VOLTAGE (v)	WATTAGE (w)	DRIVER	LED COLOUR TEMP	SURFACE FINISHES
COVENANT ONYX 1000	1083 x 1083 x 195	30kg	12VDC	70W	12V 90W 0-10V DIMMABLE	WARM WHITE 3000K	STD, CUSTOM
Clear enamel & powder coated finishes available on request (Add 10%) <u>Standard (STD) surface finishes:</u> Blonde Brass, Aged Brass, Dark Bronze (these finishes are waxed) <u>Custom surface finishes:</u> Brushed Nickel, Chrome, Black Chrome plating (Add 20%)							

### MATERIALS

Brass, Onyx, aluminium, LED.

### MAINTENANCE

All LOST PROFILE metal surfaces are waxed. These metal surfaces are designed to age and patinate. Wear gloves when handling to avoid hand prints. Clear enamel coating is available on request.

### SUSPENSION

COVENANT ONYX 1000 is supplied with 3 x 2000mm suspension wires and 2000mm of clear 2-core power cable. Please advise us if you require longer suspension wires & power cable. Vertical Wires or Rods is supplied with Round Flush canopies, 100mm diameter

### CEILING CANOPY

COVENANT is supplied with 1 x Hexagonal Flush canopy, 180 x 180mm as a standard. Vertical Wire Format is supplied with 1 x Round Flush canopy, 100mm diameter, and 2 x ceiling mounted cable gliders.

### INSTALLATION

Assembly required upon installing COVENANT as the onyx is supplied separately to the internal substrate ring. Allow 1 hour for installing the onyx onto the ring. See installation guide for details.

### DRIVERS & DIMMING

LOST PROFILE products are supplied with 0-10V dimmable LED drivers. The location of the driver needs to be considered, whether in a ceiling cavity, in a wall cavity, or ideally in an accessible electricals cabinet.

### PRICING & LEAD TIMES

Please contact us or your nearest LOST PROFILE representative for current pricing and lead times.

